In the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application. Please cancel claim 2 without prejudice or disclaimer and amend claims 1, 3 and 4 as shown below.

1. (Currently Amended) An anthraquinone colorant having the structure in Formula I:

$$NO_2$$
 O NO_2 O N

wherein

L represents a covalent carbon-carbon bond or a linking group selected from the group consisting of -O-, -S-, -SO₂-, -CON(R_2)-, -N(COR_3)-, -N(R_2)CO-, and -N(SO_2R_3)-;

R is a divalent organic radical selected from the group consisting of C_1 - C_6 -alkylene; C_1 - C_6 -alkylene-Y- CH_2 CH₂-; and $\{CH_2CH_2\}_m$ -Y- CH_2CH_2 -;

 R_1 is hydrogen or represents one or two groups selected from the group consisting of C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy and halogen.

R₂ is hydrogen, C₁-C₆-alkyl, C₃-C₈-cycloalkyl or aryl;

R₃ is C₁- C₆-alkyl, C₃-C₈-cycloalkyl or aryl;

X is -O- or -N(R_2)-;

Y is -O- -S-, -SO₂-, -N(SO₂R₃)-, or -N(COR₃)-;

n is 1 or 2;

m is 2 or 3; and

Q is an ethylenically-unsaturated-photopolymerizable or free radical polymerizable group

- $\underline{1}$ -COC(R₄)=CH-R₅,
- $\underline{2}$ -CONHCOC(R_4)=CH- R_5 ,
- $\underline{3}$ -CONH-C₁-C₆-alkylene-OCOC(R₄)=CH-R₅,

$$\underline{\underline{4}} \qquad - \begin{array}{c} R_6 \\ - COC - NHCOC(R_4) = C - R_5 \\ R_7 \end{array},$$

5 -COCH=CH-CO₂R₈,

$$\underline{6}$$
 —co— $\overset{\text{CH}_2}{\underset{\text{C(R_4)}}{\longrightarrow}}$,

$$\underline{7} \qquad -\text{CONH} = \begin{bmatrix} R_7 \\ I \\ R_6 \end{bmatrix} = \begin{bmatrix} CH_2 \\ II \\ C(R_4) \end{bmatrix},$$

$$\underline{9} \qquad \begin{array}{c} CH_2 \\ \parallel \\ -COCH_2CCO_2R_8 \text{ and/or } -COCCH_2CO_2R_8 \end{array},$$

wherein:

R₄ is hydrogen or C₁- C₆-alkyl;

 R_5 is hydrogen; C_1 - C_6 alkyl; phenyl; phenyl substituted with one or more groups selected from the group consisting of C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, -N(C_1 - C_6 -alkyl)₂, nitro, cyano, C_1 - C_6 -alkoxycarbonyl, C_1 - C_6 -alkanoyloxy and halogen; 1- or 2-naphthyl; 1- or 2-naphthyl substituted with C_1 - C_6 -alkyl or C_1 - C_6 -alkoxy; 2- or 3-thienyl; 2- or 3-thienyl

substituted with C_1 - C_6 -alkyl or halogen; 2- or 3-furyl; or 2- or 3-furyl substituted with C_1 - C_6 -alkyl;

 R_6 and R_7 are, independently, hydrogen, C_1 - C_6 -alkyl, or aryl; or R_6 and R_7 may be combined to represent a $(CH_2)_{\overline{3},5}$ radical;

 R_8 is hydrogen, C_1 - C_6 -alkyl, C_1 - C_8 -alkenyl, C_3 - C_8 -cycloalkyl or aryl; and R_9 is hydrogen, C_1 - C_6 -alkyl or aryl.

- 2. (Canceled)
- 3. (Currently Amended) A colorant according to claim 2 1, wherein R is C₁-C₄-alkylene, R₁ is hydrogen, L is -O- or a covalent bond, X is -O-, and Q is

$$-CONH - C - C(R_4)$$

wherein R₄ is hydrogen or methyl, R₆ and R₇ are methyl, and n is 1.

- 4. (Currently Amended) A colorant according to claim $2 ext{ 1}$, wherein R is C_1 - C_4 -alkylene, R_1 is hydrogen, L is -O- or a covalent bond, X is -O-, and Q is -COC(R_4)=CH- R_5 , wherein R_4 is hydrogen or methyl, R_5 is hydrogen, and n is 1.
- 5. (Original) A colorant according to claim 1 having the structure

Docket: 80013

6. (Original) A colorant according to claim 1 having the structure

7. (Original) A colorant according to claim 1 having the structure

8. (Original) A colorant according to claim 1 having the structure

Claims 9 - 14 (Canceled)

- 15. (Original) A colorant concentrate comprising a solvent and a colorant according to Claim 1 at a concentration of about 0.5 to about 40 wt%.
- 16. (Original) A colorant concentrate according to claim 15 wherein the solvent is toluene, methylethyl ketone, acetone, hexanediol diacrylate, tri(propyleneglycol) diacrylate or a mixture thereof and the colorant is present at a concentration of about 10 to about 30 wt%.
- 17. (Original) A colorant concentrate according to claim 16 further comprising one or more ultraviolet light absorbing compounds at a concentration of from about 0.1 to about 30 wt %.
- 18. (Original) A colorant concentrate according to claim 16 further comprising one or more antioxidants at a concentration of about 0.01 to about 5 wt %.